0SA-4647-65 **#1739**

REPLY TO: Audit Liaison Office P. O. Box 8155 S. W. Station Washington, D. C.

7 December 1965

SUBJECT: Review of ECP #1987-22

Airborne Instrument Laboratory

Deer Park, New York

TO : Contracting Officer

1. A review was made of the contractor's cost proposal to provide maintenance service for the CDC-3200 computer complex and peripheral equipment. All the maintenance services will be performed by a subcontractor, Control Data Corporation, with no input to be contributed by the subject contractor except to function as a contracting agent at a cost of \$26,639. The period of performance is estimated to commence on 31 January 1966 and to terminate on 30 October 1966 (nine - 9 - months.)

2. A summary of the contractor's cost proposal and the auditor's applicable comments are as follows:

	Per	Ref
	Proposal	Notes
Subcontracting (CDC)	\$171,176	a
G & A @7.5%	12,838	· b
Total Cost	\$184,014	
Fee Requested 7.5%	13,801	ÇC
TOTAL PROPOSAL	\$197,815	

Ref Notes:

a. The contractor's pricing of maintenance service is based on a published price list supplied by the subcontractor (CDC) for contracts with the General Services Administration. The subcontractor's price list/catalogue offers four (4) options for available maintenance service as follows:

Option I - Eight (8) hour day, five (5) days per week Option II - Twelve (12) hour day, five (5) days per week Option III - Sixteen (16) hour day, five (5) days per week Option IV - Twenty (20) hour day, five (5) dyas per week

The contractor has elected to present the proposal based on option IV, since the equipment to be serviced will be in operation for 20 hours per day. If the Option I is considered desirable by technically qualified representatives, then this would result in a subcontract cost savings of \$108,326 as presented as follows on attached schedule.

- b. The contractor proposed a G & A rate of 7.5%. If Option IV is considered acceptable, then the auditor accepts the contractor's proposed rate. If one of the other three options are considered desirable, the auditor recommends a G & A rate of 7.4%. A review of the current year book rates and forecasted budgets indicates that the 7.5% rate may be excessive. No adjustment was made to Option IV costs since a rate reduction of .1% would result in only a minor cost saving.
- c. The contractor has requested a fee based on 7.5% of the estimated costs.

SIGNED

WILLIAM F. EDWARDS Auditor General Representative (APL)

	2		3 Do Carporto	Trend Switch	DIGC Storage dant	LISC Stange Unit	Disc Par Controlly	The odk who ode	Haggirtic Tape, Massp.	Haguetic TapeCoute	TYANSF, Or Mat Coute.	Data Channel Cow	4K-Compoter	Equipment.	· ~	Laser ption
	Ser- 63	Sex- ∞	Sev- 13	8271B	1311-2	1311-1	القدق.	3423	604	162.3	3270-A	3681	1408	Mur ber	107+	2000
	9 638300	9 557525	9 572750	7 12.80	7 13750	05271 1	7 8250	7 264-	7 335-	7 18150	7 1650	7 33 -	7 22275	Houth's Charge	No. of Houthly	Ostron
171176	57447	50177	51548	179	963	1137	578	3696	2525	1270	3116	231	1559	Proposal	Total Cost Per	R
	9 292350	9 2585-	9 258850	7 22 40	7 110-	7 130-	.7 50-	7 160-	7 130	7 110-	7 14-	7 201	7 / 135-	Mouths Clarge	Noof Howthi	Ostion
62850	20465	18095	18120	(57	770	. 910	350	1/20	5/0	770	98	140	546 8	Der Auditor	Total Cat	7#7
108326	36782	32082	33 H28	77	193	J27	228	2576	1365	500	8	9/	614	Option	Option I hess	DECENTOR